APPLICANT FACSIMILE OF FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ENZ-004

APPLICANT

10/032,827

REV 7-80

ST OF PUBLICATIONS CITED BY APPLICANT
(Use several sheets if necessary)

Schwartz, John J. et al.

GROUP

SERIAL NO

October 23, 2001

3736

U.S. PATENT DOCUMENTS

			7 0.0.1	T DOCUMENTO			·
SELAVIDER NITIA:		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
JD	A1	4,783,605	11/88	Tomisawa et al.	307	450	
	A2	5,190,873	03/93	Lernhardt et al.	435	177	
	А3	5,364,791	11/94	Vegeto et al.	435	320.1	
	A4	5,464,758	11/95	Gossen et al.	436	09. 1	
	A5	5,834,266	11/98	Crabtree et al.	435	172.3	
	A6	5,874,534	02/99	Vegeto et al.	-530	350	
H	A7	5,882,924	03/99	Fritz et al.	435	320.1	
	A8	5,935,934	08/99	Vegeto et al.	514	44	
	A9	5,989,910	11/99	Mermod et al.	495	325	. 30
	A10	6,069,239	05/00	Mathias	530	23.1 ;	-
Λ	A11	6,153,383	11/00	Verdine et al.	435	6	(2)
JD	A12	6,157,872	12/00	Michael	700	247	\tilde{E} : z_{ij}
	t	 	†			= 7	
1	L				<u></u>	تجا	<u> </u>

FOREIGN PATENT DOCUMENTS

			ZiOitti itteitt E			1		
	ļ	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSL	ATION
	1						YES	NO
JD	A13	WO 93/23431 A1	11/93	PCT				
V	A14	WO 98/18925 A2,A3	05/98	PCT				
JD	A15	WO 99/42929 A1	08/99	PCT				

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

		OTTIERO (Including Admon, Trice, Bate, 1 cranett 1 ages, Etc.)				
'n	A16	Abouhamad et al. Computer-aided resolution of an experimental paradox in bacterial chemotaxis J. Bacteriol. 1998 Aug;180(15):3757-64				
	A17	Amara et al. A versatile synthetic dimerizer for the regulation of protein-protein interaction Natl. Acad. Sci. U.S.A. 1997 Sep 30;94(20):10618-23	s. Proc.			
	A18	Appleby et al. Proposed signal transduction role for conserved CheY residue Thr87, a me the response regulator active-site quintet. J. Bacteriol. 1998 Jul;180(14):3563-9	ember of			
	A19	Astromoff et al. A variant of λ repressor with an altered pattern of cooperative binding to l sites. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 1995 Aug 29;92(18):8110-4				
£	A20	Baca et al. Phage display of a catalytic antibody to optimize affinity for transition-state and binding. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 1997 Sep 16;94(19):10063-8	alog			
Exami		Date Considered nifer Dunston/ (08/29/2006)				
EXA	MINER:	Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through the citation if not in conformance and not considered. Include copy of this form with next communication to	ugh o applican			

Sheet 2 of 6

MY 20 M

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ENZ-004
APPLICANT

10/032,827

PATENT AND TRADEWARK OF

LIST OF PUBLICATIONS CITED BY APPLICANT

(Use several sheets if necessary)

Schwartz, John J. et al.

GROUP

October 23, 2001

3736

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

JD	B1	Becskei et al. Engineering stability in gene networks by autoregulation. <i>Nature</i> 2000 Jun 1;405(6786):590-3
П	B2	Belshaw et al. Controlling protein association and subcellular localization with a synthetic ligand that induces heterodimerization of proteins. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 1996 May 14;93(10):4604-7
	В3	Bennett et al. Role of irreversibility in stabilizing complex and nonergodic behavior in locally interacting discrete systems. <i>Phys. Rev. Lett.</i> 1985 Aug 12;55(7):657-660
	B4	Bromberg et al. The role of STATs in transcriptional control and their impact on cellular function. Oncogene 2000 May 15;19(21):2468-73
	B5	Bass et al. Detection of a conserved α-helix in the kinase-docking region of the aspartate receptor be cysteine and disulfide scanning <i>J. Biol. Chem.</i> 1998 Sep 25;273(39):25006-14
	B6	Beckett et al. Isolation of λ repressor mutants with defects in cooperative operator binding. Biochemistry 1993 Sep 7;32(35):9073-9
	В7	Bell et al. Crystal structure of the λ repressor C-terminal domain provides a model for cooperative operator binding. <i>Cell</i> 2000 Jun 23;101(7):801-11
	B8	Benson et al. Genetic selection for mutations that impair the co-operative binding of lambda repressor. <i>Mol. Microbiol.</i> 1994 Feb;11(3):567-79
	B9	Berlekamp et al. What's life. Winning Way for your Mathematical Plays, 2: Games in Particular. Chapter 25, pp. 817-850 (1982)
	B10	Beyersmann. Regulation of mammalian gene expression. In New Approaches to Drug Development (Jolles, P. ed.) pp. 9-28 (2000)
1	B11	Bilwes et al. Structure of CheA, a signal-transducing histidine kinase. Cell 1999 Jan 8;96(1):131-41
	B12	Blat et al. Regulation of phosphatase activity in bacterial chemotaxis. J. Mol. Biol. 1998 Dec 11;284(4):1191-9
	B13	Bray et al. Computer analysis of the binding reactions leading to a transmembrane receptor-linked multiprotein complex involved in bacterial chemotaxis. <i>Mol. Biol. Cell.</i> 1995 Oct;6(10):1367-80
	B14	Burz et al. Single-site mutations in the C-terminal domain of bacteriophage λ cl repressor alter cooperative interactions between dimers adjacently bound to O _R . <i>Biochemistry</i> . 1994 Jul 19;33(28):8406-16
	B15	Bustos et al. Functional domains of the AraG protein. Proc. Natl. Acad. Sci. U.S.A. 1993 Jun 15,98(12):5636-42 Duplicate citation
	B16	Carey et al. An amino-terminal fragment of GAL4 binds DNA as a dimer. J. Mol. Biol. 1989 Oct 5;209(3):423-32
	B17	Carter et al. Endocytosis of functional epidermal growth factor receptor-green fluorescent protein chimera. J. Biol. Chem. 1998 Dec 25;273(52):35000-7
	B18	Culik et al. Computation theoretic aspects cellular automata. Physica 1990;45(1-3):357-378
Φ	B19	Cohen et al. Modular binding domains in signal transduction proteins. Cell 1995 Jan 27;80(2):237-48
JD	B20	Da Re et al. Kinetics of CheY phosphorylation by small molecule phosphodonors. FEBS Lett. 1999 Sep 3,457(3):323-6
Exam	Jen:	nifer Dunston/ (08/29/2006)
•EXA	MINER:	Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

- 7

Sheet 3 of 6

CARLE IL ADE

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY DOCKET NO **ENZ-004** APPLICANT

10/032,827

T OF PUBLICATIONS CITED BY APPLICANT

(Use several sheets if necessary)

Schwartz, John J. et al.

SERIAL NO

October 23, 2001

3736

		OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)
JD	C1	Daugherty et al. Development of an optimized expression system for the screening of antibody libraries displayed on the Escherichia coli surface. Protein Eng. 1999 Jul;12(7):613-21
	C2	Djordjevic et al. Structural analysis of bacterial chemotaxis proteins: components of a dynamic signaling system. <i>J. Struct. Biol.</i> 1998 Dec 15;124(2-3):189-200
	C3	Donner et al. Carboxyl-terminal domain dimer interface mutant 434 repressors have altered dimerization and DNA binding specificities. <i>J. Mol. Biol.</i> 1998 Nov 13;283(5):931-46
	C4	Dove et al. Mechanism for a transcriptional activator that works at the isomerization step. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 2000 Nov 21;97(24):13215-20
	C5	Dove et al. Activation of prokaryotic transcription through arbitrary protein-protein contacts. Nature 1997 Apr 10;386(6625):627-30
	C6	Drexler. Molecular engineering: An approach to the development of general capabilities for molecular manipulation. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 1981 September;78(9):5275-5278
	C7	Dutta et al. Histidine kinases: diversity of domain organization. <i>Mol. Microbiol.</i> 1999 Nov;34(4):633-40
	C8	Earhart et al. Use of an Lpp-OmpA fusion vehicle for bacterial surface display. <i>Methods Enzymo</i> 2000;326:506-16
	C9	Eisenbach. Control of bacterial chemotaxis. Mol. Microbiol. 1996 Jun;20(5):903-10
	C10	Elowitz et al. A synthetic oscillatory network of transcriptional regulators. <i>Nature</i> . 2000 Jan 20;403(6767):335-8
	C11	Ermentrout et al. Cellular automata approaches to biological modeling. <i>J. Theor. Biol.</i> 1993 Jan 7;160(1):97-133
	C12	Finkelstein. Conservative logic. Internat. J. Theor. Phys. 1982;21(3/4):219-253
	C13	Firestine et al. Using an AraC-based three-hybrid system to detect biocatalysts in vivo. Nat. Biotechnol. 2000 May;18(5):544-7
	C14	Freiberg et al. Transcriptional control in keratinocytes and fibroblasts using synthetic ligands. <i>J. Clin. Invest.</i> 1997 Jun 1;99(11):2610-5
	C15	Frisch et al. Lattice-gas automata for the Navier-Stokes equation. <i>Phys. Rev. Lett.</i> 1986 Apr 7;56(14):1505-1508
	C16	Fuh et al. Analysis of PDZ domain-ligand interactions using carboxyl-terminal phage display. J. Biol. Chem. 2000 Jul 14;275(28):21486-91
	C17	Gardner. On cellular automata, self-reproduction, the garden of Eden and the game of "life." Scientific American. 1971;224(2):112-117
	C18	Gardner. The fantastic combinations of John Conway's new solitair game "life." Scientific American 1970;223(4):120-123
	C19	Gardner et al. Construction of a genetic toggle switch in <i>Escherichia coli</i> . <i>Nature</i> . 2000 Jan 20;403(6767):339-42
	C20	Gether. Uncovering molecular mechanisms involved in activation of G protein-coupled receptors Endocr. Rev. 2000 Feb;21(1):90-113
סז	C21	Giannattasio et al. Modulation of erm methyltransferase activity by peptides derived from phage display. <i>Antimicrob. Agents Chemother.</i> 2000 Jul;44(7):1961-3
xan	nine/Jen	nifer Dunston/ (08/29/2006) Date Considered

citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Sheet 4 of 6

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARY, OFFICE

ENZ-004 APPLICANT

10/032,827

USE SEVERAL SHEETS BY APPLICANT (Use several sheets if necessary)

Schwartz, John J. et al. GROUP 3736 October 23, 2001

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

1999 Mar 5;274(10):6610-6 D2 Gilchrist et al. Use of peptides-on-plasmids combinatonal library to identify high-affinity peptides that bind rhodopsin. <i>Methods Enzymol.</i> 2000;315:388-404 D3 Gonzalez et al. An engineered allosteric switch in leucine-zipper oligomerization. <i>Nat. Struct. Biol.</i> 1998 Jun;3(6):510-5 D4 Gouldson et al. Dimerization and domain swapping in G-protein-coupled receptors: a computational study. <i>Neuropsychopharmacology.</i> 2000 Oct;23(4 Suppl):S60-77 D5 Guo et al. Designing small-molecule switches for protein-protein interactions. <i>Science.</i> 2000 Jun 16;288(6473):2042-5 D6 New England Biolabs, Inc., GPS™-LS Linker Scanning System. <i>Technical Bulletin.</i> No. E7102. 2001:pp. 1-2 D7 Hamm et al. Site of G protein binding to rhodopsin mapped with synthetic peptides from the d subunit. <i>Science.</i> 1988 Aug 12;241(4867):832-5 D8 Hamm. The many faces of G proteins. <i>Cutr. Opin. Cell Biol.</i> 1996 Apr;8(2):189-96 D9 Hamm. The many faces of G protein signaling. <i>J. Biol. Chem.</i> 1998 Jan 9:273(2):669-72. D10 Han et al. Peptides selected to bind the Gal80 repressor are potent transcriptional activation domains in yeast. <i>J. Biol. Chem.</i> 2000 May 19:275(20):14979-84 D11 Hardy et al. Molecular dynamics of a classic lattice gas transport properties and time correlation functions. <i>Physical Review A.</i> 1976 May;13(5):1949-1961 D12 Harvey et al. Inducible control of gene expression: prospects for gene therapy. <i>Cutr. Opin. Chem. Biol.</i> 1998 Aug;2(4):512-8 D13 Hoogenboom et al. Natural and designer binding sites made by phage display technology. <i>Immunol Today.</i> 2000 Aug;21(8):371-8 D14 Jasuja et al. Response tuning in bacterial chemotaxis. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 1999 Sep 28:96(20):11346-51 D15 Kalkbrenner et al. Transcriptional activation by human c- <i>myb</i> and v- <i>myb</i> genes. <i>Oncogene.</i> 1991 May;5(5):657-61 D16 Kalkbrenner et al. Transcriptional activation by human c- <i>myb</i> and v- <i>myb</i> genes. <i>Oncogene.</i> 1991 May;5(5):657-61 D17 Katz. Strept-avid. Thoding and -dimerizing ligands discovere			OTHERS (including Author, Title, Date, Perlinent Pages, Etc.)
that bind rhodopsin. <i>Methods Enzymol.</i> 2000;315:388-404 D3 Gonzalez et al. An engineered allosteric switch in leucine-zipper oligomerization. <i>Nat. Struct. Bio.</i> 1998 Jun;3(6):510-5 D4 Gouldson et al. Dimerization and domain swapping in G-protein-coupled receptors: a computational study. <i>Neuropsychopharmacology.</i> 2000 Oct;23(4 Suppl):S60-77 Guo et al. Designing small-molecule switches for protein-protein interactions. <i>Science.</i> 2000 Jun 16;288(5473):2042-5 D5 New England Biolabs, Inc., GPS™-LS Linker Scanning System. <i>Technical Bulletin.</i> No. E7102, 2001;pp. 1-2 D7 Hamm et al. Site of G protein binding to rhodopsin mapped with synthetic peptides from the α subunit. <i>Science.</i> 1988 Aug 12;241(4867):832-5 D8 Hamm et al. Heterotrimeric G proteins. <i>Curr. Opin. Cell Biol.</i> 1996 Apr;8(2):189-96 D9 Hamm. The many faces of G protein signaling. <i>J. Biol. Chem.</i> 1998 Jan 9;273(2):669-72. D10 Han et al. Peptides selected to bind the Gal80 repressor are potent transcriptional activation domains in yeast. <i>J. Biol. Chem.</i> 2000 May 19;275(20):1497-984 D11 Hardy et al. Molecular dynamics of a classic lattice gas transport properties and time correlation functions. <i>Physical Review A.</i> 1976 May;13(5):1949-1961 D12 Harvey et al. Inducible control of gene expression: prospects for gene therapy. <i>Curr. Opin. Cher. Biol.</i> 1998 Aug;2(4):512-8 D13 Hoogenboom et al. Natural and designer binding sites made by phage display technology. <i>Immunol Today.</i> 2000 Aug;21(8):371-8 D14 Jasuja et al. Response tuning in bacterial chemotaxis. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 1999 Sep' 28:96(20):11346-51 D15 Joung et al. A bacterial two-hybrid selection system for studying protein-DNA and protein-proteir interactions. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 1999 Sep' 28:96(20):11346-51 D16 Kalkbrenner et al. Transcriptional activation by human c- <i>myb</i> and v- <i>myb</i> genes. <i>Oncogene.</i> 1991 May;5(5):657-61 EXAMINER: Initial if reference considered, whether or not citaltion is in conformance with MPEP 509, Draw line through	JD	D1	Gilchrist et al. A dominant-negative strategy for studying roles of G proteins in vivo. J. Biol. Chem 1999 Mar 5;274(10):6610-6
1996 Jun;3(6):510-5 D4 Gouldson et al. Dimerization and domain swapping in G-protein-coupled receptors: a computational study. Neuropsychopharmacology. 2000 Oct;23(4 Suppl):S60-77 D5 Gue et al. Designing small-molecule switches for protein-protein interactions. Science. 2000 Jun 16;288(5473):2042-5 D6 New England Biolabs, Inc., GPSTM-LS Linker Scanning System. Technical Bulletin. No. E7102, 2001;pp. 1-2 D7 Hamm et al. Site of G protein binding to rhodopsin mapped with synthetic peptides from the d subunit. Science. 1988 Aug 12;241(4867):832-5 D8 Hamm et al. Heterotrimeric G proteins. Curr. Opin. Cell Biol. 1996 Apr;8(2):189-96 D9 Hamm. The many faces of G protein signaling. J. Biol. Chem. 1998 Jan 9;273(2):669-72. D10 Han et al. Peptides selected to bind the Gal80 repressor are potent transcriptional activation domains in yeast. J. Biol. Chem. 2000 May 19;275(20):14979-84 D11 Hardy et al. Molecular dynamics of a classic lattice gas transport properties and time correlation functions. Physical Review A. 1976 May;13(5):1949-1961 D12 Harvey et al. Inducible control of gene expression: prospects for gene therapy. Curr. Opin. Chem. Biol. 1998 Aug;2(4):512-8 D13 Hoogenboom et al. Natural and designer binding sites made by phage display technology. Immunol Today. 2000 Aug;21(8):371-8 D14 Jasuja et al. Response tuning in bacterial chemotaxis. Proc. Natl. Acad. Sci. U.S.A. 1999 Sep. 28;96(20):11346-51 D15 Joung et al. A bacterial two-hybrid selection system for studying protein-DNA and protein-proteir interactions. Proc. Natl. Acad. Sci. U.S.A. 2000 Jun 20;97(13):7382-7 D16 Kalkbrenner et al. Transcriptional activation by human c-myb and v-myb genes. Oncogene. 1991 May;5(5):657-61 D17 Katz. Streptavidin-binding and -dimerizing ligands discovered by phage display, topochemistry, and structure-based design. Biomol. Eng. 1999 Dec 31.16(1-4):57-65 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral p	П	D2	Gilchrist et al. Use of peptides-on-plasmids combinatorial library to identify high-affinity peptides that bind rhodopsin. <i>Methods Enzymol.</i> 2000;315:388-404
computational study. Neuropsychopharmacology. 2000 Oct;23(4 Suppl):S60-77 Guo et al. Designing small-molecule switches for protein-protein interactions. Science. 2000 Jun 16;288(5473):2042-5 New England Biolabs, Inc., GPSTM-LS Linker Scanning System. Technical Bulletin. No. E7102, 2001;pp. 1-2 Hamm et al. Site of G protein binding to rhodopsin mapped with synthetic peptides from the disubunit. Science. 1988 Aug 12;241(4867):832-5 D8 Hamm et al. Heterotrimeric G proteins. Curr. Opin. Cell Biol. 1996 Apr;8(2):189-96 D9 Hamm. The many faces of G protein signaling. J. Biol. Chem. 1998 Jan 9;273(2):669-72. D10 Han et al. Peptides selected to bind the Gal80 repressor are potent transcriptional activation domains in yeast. J. Biol. Chem. 2000 May 19;275(20):14979-84 D11 Hardy et al. Molecular dynamics of a classic lattice gas. transport properties and time correlation functions. Physical Review A. 1976 May;13(5):1949-1961 D12 Harvey et al. Inducible control of gene expression: prospects for gene therapy. Curr. Opin. Chem. Biol. 1998 Aug;2(4):512-8 D13 Hoogenboom et al. Natural and designer binding sites made by phage display technology. Immunol Today. 2000 Aug;21(8):371-8 D14 Jasuja et al. Response tuning in bacterial chemotaxis. Proc. Natl. Acad. Sci. U.S.A. 1999 Sep 28;96(20):11346-51 D15 Joung et al. A bacterial two-hybrid selection system for studying protein-DNA and protein-proteir interactions. Proc. Natl. Acad. Sci. U.S.A. 2000 Jun 20;97(13):7382-7 D16 Kalkbrenner et al. Transcriptional activation by human c-myb and v-myb genes. Oncogene. 1991 May;5(5):657-61 D17 Katz. Streptavidin-binding and -dimerizing ligands discovered by phage display, topochemistry, and structure-based design. Biomol. Eng. 1999 Dec 31.16(1-4):57-65 D18 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral particle display system. J. Virol. 1999 Mar;73(3):1802-8 Kayminer / Jennifer Dunston / (08/29/2006) Date Consid	П	D3	Gonzalez et al. An engineered allosteric switch in leucine-zipper oligomerization. Nat. Struct. Biol. 1996 Jun;3(6):510-5
16;288(5473):2042-5 D6 New England Biolabs, Inc., GPSTM-LS Linker Scanning System. <i>Technical Bulletin</i> . No. E7102, 2001;pp. 1-2 D7 Hamm et al. Site of G protein binding to rhodopsin mapped with synthetic peptides from the d subunit. <i>Science</i> . 1988 Aug 12;241(4867):832-5 D8 Hamm et al. Heterotrimeric G proteins. <i>Curr. Opin. Cell Biol.</i> 1996 Apr;8(2):189-96 D9 Hamm. The many faces of G protein signaling. <i>J. Biol. Chem.</i> 1998 Jan 9;273(2):669-72. D10 Han et al. Peptides selected to bind the Gal80 repressor are potent transcriptional activation domains in yeast. <i>J. Biol. Chem.</i> 2000 May 19;275(20):14979-84 D11 Hardy et al. Molecular dynamics of a classic lattice gas transport properties and time correlation functions. <i>Physical Review A.</i> 1976 May;13(5):1949-1961 D12 Harvey et al. Inducible control of gene expression: prospects for gene therapy. <i>Curr. Opin. Chem. Biol.</i> 1998 Aug;2(4):512-8 D13 Hoogenboom et al. Natural and designer binding sites made by phage display technology. <i>Immunol Today.</i> 2000 Aug;21(8):371-8 D14 Jasuja et al. Response tuning in bacterial chemotaxis. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 1999 Sep 28;96(20):11346-51 D15 Joung et al. A bacterial two-hybrid selection system for studying protein-DNA and protein-protein interactions. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 2000 Jun 20;97(13):7382-7 D16 Kalkbrenner et al. Transcriptional activation by human c-myb and v-myb genes. <i>Oncogene.</i> 1991 May;5(5):657-61 D17 Kalz. Streptavidin-binding and -dimerizing ligands discovered by phage display topochemistry, and structure-based design. <i>Biomol. Eng.</i> 1999 Dec 31.16(1-4):57-65 D18 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral particle display system. <i>J. Virol.</i> 1999 Mar;73(3):1802-8 D19 Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution. <i>Re Mol. Biotechnol.</i> 2000 Mar;74(1):27-38		D4	
D7 Hamm et al. Site of G protein binding to rhodopsin mapped with synthetic peptides from the d subunit. Science. 1988 Aug 12;241(4867):832-5 D8 Hamm et al. Heterotrimeric G proteins. Curr. Opin. Cell Biol. 1996 Apr;8(2):189-96 D9 Hamm. The many faces of G protein signaling. J. Biol. Chem. 1998 Jan 9;273(2):669-72. D10 Han et al. Peptides selected to bind the Gal80 repressor are potent transcriptional activation domains in yeast. J. Biol. Chem. 2000 May 19;275(20):14979-84 D11 Hardy et al. Molecular dynamics of a classic lattice gas transport properties and time correlation functions. Physical Review A. 1976 May;13(5):1949-1961 D12 Harvey et al. Inducible control of gene expression: prospects for gene therapy. Curr. Opin. Chem. Biol. 1998 Aug;2(4):512-8 D13 Hoogenboom et al. Natural and designer binding sites made by phage display technology. Immunol Today. 2000 Aug;21(8):371-8 D14 Jasuja et al. Response tuning in bacterial chemotaxis. Proc. Natl. Acad. Sci. U.S.A. 1999 Sept. 28;96(20):11346-51 D15 Joung et al. A bacterial two-hybrid selection system for studying protein-DNA and protein-protein interactions. Proc. Natl. Acad. Sci. U.S.A. 2000 Jun 20;97(13):7382-7 D16 Kalkbrenner et al. Transcriptional activation by human c-myb and v-myb genes. Oncogene. 1991 May;5(5):557-61 D17 Katz. Streptavidin-binding and -dimerizing ligands discovered by phage display, topochemistry, and structure-based design. Biomol. Eng. 1999 Dec 31.16(1-4):57-65 D18 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral particle display system. J. Virol. 1999 Mar;73(3):1802-8 D19 Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution. Re. Mol. Biotechnol. 2000 Mar;74(1):27-38 Date Considered EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, Draw line through		D5	Guo et al. Designing small-molecule switches for protein-protein interactions. Science. 2000 Jun 16;288(5473):2042-5
Subunit. Science. 1988 Aug 12;241(4867):832-5 D8		D6	
Hamm. The many faces of G protein signaling. <i>J. Biol. Chem.</i> 1998 Jan 9;273(2):669-72. D10 Han et al. Peptides selected to bind the Gal80 repressor are potent transcriptional activation domains in yeast. <i>J. Biol. Chem.</i> 2000 May 19;275(20):14979-84 D11 Hardy et al. Molecular dynamics of a classic lattice gas transport properties and time correlation functions. <i>Physical Review A.</i> 1976 May;13(5):1949-1961 D12 Harvey et al. Inducible control of gene expression: prospects for gene therapy. <i>Curr. Opin. Chem. Biol.</i> 1998 Aug;2(4):512-8 D13 Hoogenboom et al. Natural and designer binding sites made by phage display technology. <i>Immunol Today.</i> 2000 Aug;21(8):371-8 D14 Jasuja et al. Response tuning in bacterial chemotaxis. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 1999 Sep 28;96(20):11346-51 D15 Joung et al. A bacterial two-hybrid selection system for studying protein-DNA and protein-proteir interactions. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 2000 Jun 20;97(13):7382-7 D16 Kalkbrenner et al. Transcriptional activation by human c- <i>myb</i> and v- <i>myb</i> genes. <i>Oncogene.</i> 1991 May;5(5):657-61 D17 Katz. Streptavidin-binding and -dimerizing ligands discovered by phage display, topochemistry, and structure-based design. <i>Biomol. Eng.</i> 1999 Dec 31.16(1-4):57-65 D18 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral particle display system. <i>J. Virol.</i> 1999 Mar;73(3):1802-8 D19 Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution; <i>Re. Mol. Biotechnol.</i> 2000 Mar;74(1):27-38 Date Considered EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, Draw line through	П	D7	subunit. Science. 1988 Aug 12;241(4867):832-5
D10 Han et al. Peptides selected to bind the Gal80 repressor are potent transcriptional activation domains in yeast. <i>J. Biol. Chem.</i> 2000 May 19:275(20):14979-84 D11 Hardy et al. Molecular dynamics of a classic lattice gas transport properties and time correlation functions. <i>Physical Review A.</i> 1976 May;13(5):1949-1961 D12 Harvey et al. Inducible control of gene expression: prospects for gene therapy. <i>Curr. Opin. Chem. Biol.</i> 1998 Aug;2(4):512-8 D13 Hoogenboom et al. Natural and designer binding sites made by phage display technology. <i>Immunol Today.</i> 2000 Aug;21(8):371-8 D14 Jasuja et al. Response tuning in bacterial chemotaxis. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 1999 Sep' 28:96(20):11346-51 D15 Joung et al. A bacterial two-hybrid selection system for studying protein-DNA and protein-proteir interactions. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 2000 Jun 20;97(13):7382-7 D16 Kalkbrenner et al. Transcriptional activation by human c- <i>myb</i> and v- <i>myb</i> genes. <i>Oncogene.</i> 1991 May;5(5):657-61 D17 Katz. Streptavidin-binding and -dimerizing ligands discovered by phage display, topochemistry, and structure-based design. <i>Biomol. Eng.</i> 1999 Dec 31.16(1-4):57-65 D18 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral particle display system. <i>J. Virol.</i> 1999 Mar;73(3):1802-8 D19 Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution. <i>Re Mol. Biotechnol.</i> 2000 Mar;74(1):27-38 Date Considered Date Considered EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, Draw line through	П	D8	Hamm et al. Heterotrimeric G proteins. Curr. Opin. Cell Biol. 1996 Apr;8(2):189-96
domains in yeast. <i>J. Biol. Chem.</i> 2000 May 19;275(20):14979-84 D11 Hardy et al. Molecular dynamics of a classic lattice gas transport properties and time correlation functions. <i>Physical Review A.</i> 1976 May;13(5):1949-1961 D12 Harvey et al. Inducible control of gene expression: prospects for gene therapy. <i>Curr. Opin. Chem. Biol.</i> 1998 Aug;2(4):512-8 D13 Hoogenboom et al. Natural and designer binding sites made by phage display technology. <i>Immunol Today.</i> 2000 Aug;21(8):371-8 D14 Jasuja et al. Response tuning in bacterial chemotaxis. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 1999 Sep' 28;96(20):11346-51 D15 Joung et al. A bacterial two-hybrid selection system for studying protein-DNA and protein-proteir interactions. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 2000 Jun 20;97(13):7382-7 D16 Kalkbrenner et al. Transcriptional activation by human c- <i>myb</i> and v- <i>myb</i> genes. <i>Oncogene.</i> 1991 May;5(5):657-61 D17 Katz. Streptavidin-binding and -dimerizing ligands discovered by phage display, topochemistry, and structure-based design. <i>Biomol. Eng.</i> 1999 Dec 31.16(1-4):57-65 D18 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral particle display system. <i>J. Virol.</i> 1999 Mar;73(3):1802-8 D19 Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution: <i>Re Mol. Biotechnol.</i> 2000 Mar;74(1):27-38 EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 509; Draw line through	П	D9	Hamm. The many faces of G protein signaling. J. Biol. Chem. 1998 Jan 9;273(2):669-72.
functions. Physical Review A. 1976 May;13(5):1949-1961 D12 Harvey et al. Inducible control of gene expression: prospects for gene therapy. Curr. Opin. Chem. Biol. 1998 Aug;2(4):512-8 D13 Hoogenboom et al. Natural and designer binding sites made by phage display technology. Immunol Today. 2000 Aug;21(8):371-8 D14 Jasuja et al. Response tuning in bacterial chemotaxis. Proc. Natl. Acad. Sci. U.S.A. 1999 Sep. 28;96(20):11346-51 D15 Joung et al. A bacterial two-hybrid selection system for studying protein-DNA and protein-protein interactions. Proc. Natl. Acad. Sci. U.S.A. 2000 Jun 20;97(13):7382-7 D16 Kalkbrenner et al. Transcriptional activation by human c-myb and v-myb genes. Oncogene. 1991 May;5(5):657-61 D17 Katz. Streptavidin-binding and -dimerizing ligands discovered by phage display, topochemistry, and structure-based design. Biomol. Eng. 1999 Dec 31.16(1-4):57-65 D18 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral particle display system. J. Virol. 1999 Mar;73(3):1802-8 D19 Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution. Remodel. Biotechnol. 2000 Mar;74(1):27-38 EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, Draw line through		D10	domains in yeast. J. Biol. Chem. 2000 May 19;275(20):14979-84
Biol. 1998 Aug;2(4):512-8 D13 Hoogenboom et al. Natural and designer binding sites made by phage display technology. Immunol Today. 2000 Aug;21(8):371-8 D14 Jasuja et al. Response tuning in bacterial chemotaxis. Proc. Natl. Acad. Sci. U.S.A. 1999 Sep' 28;96(20):11346-51 D15 Joung et al. A bacterial two-hybrid selection system for studying protein-DNA and protein-protein interactions. Proc. Natl. Acad. Sci. U.S.A. 2000 Jun 20;97(13):7382-7 D16 Kalkbrenner et al. Transcriptional activation by human c-myb and v-myb genes. Oncogene. 1996 May;5(5):657-61 D17 Katz. Streptavidin-binding and -dimerizing ligands discovered by phage display, topochemistry, and structure-based design. Biomol. Eng. 1999 Dec 31, 16(1-4):57-65 D18 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral particle display system. J. Virol. 1999 Mar;73(3):1802-8 Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution. Re Mol. Biotechnol. 2000 Mar;74(1):27-38 EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through		D11	
D14 Jasuja et al. Response tuning in bacterial chemotaxis. Proc. Natl. Acad. Sci. U.S.A. 1999 Sep' 28;96(20):11346-51 Joung et al. A bacterial two-hybrid selection system for studying protein-DNA and protein-protein interactions. Proc. Natl. Acad. Sci. U.S.A. 2000 Jun 20;97(13):7382-7 D16 Kalkbrenner et al. Transcriptional activation by human c-myb and v-myb genes. Oncogene. 1991 May;5(5):657-61 D17 Katz. Streptavidin-binding and -dimerizing ligands discovered by phage display, topochemistry, and structure-based design. Biomol. Eng. 1999 Dec 31.16(1-4):57-65 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral particle display system. J. Virol. 1999 Mar;73(3):1802-8 Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution. Remote Mol. Biotechnol. 2000 Mar;74(1):27-38 Date Considered D		D12	
28;96(20):11346-51 Joung et al. A bacterial two-hybrid selection system for studying protein-DNA and protein-proteir interactions. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 2000 Jun 20;97(13):7382-7 D16 Kalkbrenner et al. Transcriptional activation by human c- <i>myb</i> and v- <i>myb</i> genes. <i>Oncogene</i> . 1990 May;5(5):657-61 D17 Katz. Streptavidin-binding and -dimerizing ligands discovered by phage display, topochemistry, and structure-based design. <i>Biomol. Eng.</i> 1999 Dec 31.16(1-4):57-65 D18 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral particle display system. <i>J. Virol.</i> 1999 Mar;73(3):1802-8 Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution. <i>Re Mol. Biotechnol.</i> 2000 Mar;74(1):27-38 Examiner / Jennifer Dunston / (08/29/2006) Date Considered EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through	П	D13	
interactions. Proc. Natl. Acad. Sci. U.S.A. 2000 Jun 20;97(13):7382-7 Kalkbrenner et al. Transcriptional activation by human c-myb and v-myb genes. Oncogene. 1990 May;5(5):657-61 D17 Katz. Streptavidin-binding and -dimerizing ligands discovered by phage display, topochemistry, and structure-based design. Biomol. Eng. 1999 Dec 31.16(1-4):57-65 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral particle display system. J. Virol. 1999 Mar;73(3):1802-8 Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution. Re Mol. Biotechnol. 2000 Mar;74(1):27-38 Examiner / Jennifer Dunston / (08/29/2006) Date Considered EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through		D14	
May;5(5):657-61 D17 Katz. Streptavidin-binding and -dimerizing ligands discovered by phage display, topochemistry, and structure-based design. Biomol. Eng. 1999 Dec 31.16(1-4):57-65 D18 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral particle display system. J. Virol. 1999 Mar;73(3):1802-8 D19 Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution. Re Mol. Biotechnol. 2000 Mar;74(1):27-38 EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through		D15	Joung et al. A bacterial two-hybrid selection system for studying protein-DNA and protein-protein interactions. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 2000 Jun 20;97(13):7382-7
and structure-based design. Biomol. Eng. 1999 Dec 31.16(1-4):57-65 Kayman et al. The hypervariable domain of the murine leukemia virus surface protein tolerates large insertions and deletions, enabling development of a retroviral particle display system. J. Virol. 1999 Mar;73(3):1802-8 Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution: Re Mol. Biotechnol. 2000 Mar;74(1):27-38 Examiner Jennifer Dunston (08/29/2006) Date Considered Date Considered Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through		D16	
large insertions and deletions, enabling development of a retroviral particle display system. J. Virol. 1999 Mar;73(3):1802-8 Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution. Re Mol. Biotechnol. 2000 Mar;74(1):27-38 Examiner / Jennifer Dunston / (08/29/2006) Date Considered Date Considered Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through		D17	and structure-based design. Biomol. Eng. 1999 Dec 31,16(1-4):57-65
Mol. Biotechnol. 2000 Mar;74(1):27-38 Examiner / Jennifer Dunston / (08/29/2006) EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through		D18	large insertions and deletions, enabling development of a retroviral particle display system. J.
/Jennifer Dunston/ (08/29/2006) EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through	JD	D19	Kusser. Chemically modified nucleic acid aptamers for in vitro selections: evolving evolution. Rev
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through	Exan	niner/J	ennifer Dunston/ (08/29/2006) Date Considered
Citation is not in combinative and not considered. Include copy of this form with next communication to applica	•EXA	MINER:	Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applican



APPLICANT FACSIMILE OF FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ENZ-004

10/032.827

LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary)

Schwartz, John J. et al.

GROUP

SERIAL NO

October 23, 2001

3736

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Lee et al. Thyroid hormone receptor dimerization function maps to a conserved subregion of the E1 JD ligand binding domain. Mol. Endocrinol. 1992 Nov;6(11):1867-73 Makeyev et al. Cell-free immunology: construction and in vitro expression of a PCR-based library E2 encoding a single-chain antibody repertoire. FEBS Lett. 1999 Feb 12;444(2-3):177-80 Margolus. Physics-like models of computation. Physica 1984;10D:81-95 E3 Marmorstein et al. DNA recognition by GAL4: structure of a protein-DNA complex. Nature. 1992 E4 Apr 2;356(6368):408-14 E5 Marshak et al. Synthetic peptide substrates for casein kinase II. Methods Enzymol. 1991;200:134-56 E6 Marvin et al. Conversion of a maltose receptor into a zinc biosensor by computational design. Proc. Natl. Acad. Sci. U.S.A. 2001 Apr 24;98(9):4955-60 McEvoy et al. Two binding modes reveal flexibility in kinase/response regulator interactions in the Ę7 bacterial chemotaxis pathway. Proc. Natl. Acad. Sci. U.S.A. 1998 Jun 23;95(13):7333-8 Menon et al. Activation of ara operons by a truncated AraC protein does not require inducer. E8 Proc. Natl. Acad. Sci. U.S.A. 1990 May;87(10):3708-12 Miyawaki et al. Dynamic and quantitative Ca2+ measurements using improved cameleons. Proc. F9 Natl. Acad. Sci. U.S.A. 1999 Mar 2;96(5):2135-40 Pabo et al. Geometric analysis and comparison of protein-DNA interfaces: why is there no simple E10 code for recognition? J. Mol. Biol. 2000 Aug 18;301(3):597-624 Perrier et al. Toward a viable, self-reproducing universal computer. Physica 1996;D97 335 E11 Roberts et al. RNA-peptide fusions for the in vitro selection of peptides and proteins. Proc. Natl. E12 Acad. Sci. U.S.A. 1997 Nov 11,94(23):12297-302 Roychoudhury et al. Use of combinatorial library screening to identify inhibitors of a bacterial two-E13 component signal transduction kinase. Mol. Divers. 1998;4(3):173-82 Saha et al. An operator-induced conformational change in the C-terminal domain of the λ E14 repressor. J. Biol. Chem. 1992 Mar 25;267(9):5862-7 Schaffitzel et al. Ribosome display: an in vitro method for selection and evolution of antibodies E15 from libraries. J. Immunol. Methods. 1999 Dec 10;231(1-2):119-35 Scharf et al. Control of direction of flagellar rotation in bacterial chemotaxis. Proc. Natl. Acad. Sci. E16 U.S.A. 1998 Jan 6;95(1):201-6 Shimizu et al. Molecular model of a lattice of signalling proteins involved in bacterial chemotaxis. E17 Nat: Cell Biol. 2000 Nov;2(11):792-6 Shukla et al. Mutations leading to altered CheA binding cluster on a face of CheY. J. Biol. Chem. E18 1995 Oct 13;270(41):24414-9 Shusta et al. Biosynthetic polypeptide libraries. Curr. Opin. Biotechnol. 1999 Apr; 10(2) 117-22 E19 JD Date Considered Examiner /Jennifer Dunston/ (08/29/2006)

*EXAMINER:

Initial if reference considered, whether or not citation is in conformance with MPEP 609. Plaw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

STATE OF THE PARTY OF THE PARTY

Sheet 6 of 6

RAM 10 THE CONTROL OF THE PARTY OF THE PARTY

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ENZ-004

10/032,827

ST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary)

Schwartz, John J. et al.

GROUP

SERIAL NO

October 23, 2001

3736

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

		OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)
JD 	F1	Sipper. Non-uniform cellular automata: Evolution in rule space and formation of complex structures. In Artificial Life IV R. A. Brooks and P. Maes, eds, 1994;pps. 394-399, Cambridge, Massachusetts, The MIT Press.
	F2	Solà et al. Towards understanding a molecular switch mechanism: thermodynamic and crystallographic studies of the signal transduction protein CheY. <i>J. Mol. Biol.</i> 2000 Oct 20;303(2):213-25.
	F3	Swanson et al. Localized perturbations in CheY structure monitored by NMR identify a CheA binding interface. <i>Nat. Struct. Biol.</i> 1995 Oct;2(10):906-10
	F4	Takahashi et al. Measurement of intracellular calcium. Physiol. Rev. 1999 Oct;79(4):1089-125
	F5	Ten Dijke et al. Signaling inputs converge on nuclear effectors in TGF-β signaling. <i>Trends Biochem. Sci.</i> 2000 Feb;25(2):64-70
	F6	Toffoli. Cellular automata as an alternative to (rather than an approximation of) differential equations in modeling physics. <i>Physica</i> 1984;10D:117-127
	F7	Toffoli. Reversible computing. In Lecture Notes in Computer Science. J.W. Bakker and J. van Leeuwen, eds. 1980;pp. 632-644 Springer-Verlag, Berlin Heidelberg NY
Т	F8	Vichniac. Simulating physics with cellular automata. Physica 1984;10D: 96-116
	F9	Vichniac et al. Annealed and quenched inhomogeneous cellular automata (INCA). J. Statistical Phys. 1986;45(5-6):875-883
	F10	Welch et al. Structure of the CheY-binding domain of histidine kinase CheA in complex with CheY. Nat. Struct. Biol. 1998 Jan;5(1):25-9
	F11	Whaley et al. Selection of peptides with semiconductor binding specificity for directed nanocrystal assembly. <i>Nature</i> . 2000 Jun 8;405(6787):665-8
	F12	Whipple et al. Amino acid-amino acid contacts at the cooperativity interface of the bacteriophage λ and P22 repressors. <i>Genes Dev.</i> 1998 Sep 1;12(17):2791-802
	F13	Whipple et al. Specificity determinants for the interaction of λ repressor and P22 repressor dimers. Genes Dev. 1994 May 15;8(10):1212-23
	F14	Wolfe et al. Combining structure-based design with phage display to create new Cys ₂ His ₂ zinc finger dimers. Structure 2000 Jul 15;8(7):739-50
Т	F15	Wolfram. Cellular automata as models of complexity. Nature. 1984;311 419-424
	F16	Wolfram. Statistical mechanics of cellular automata. Reviews of Modern Physics. 1983;55(3):601-641
Т	F17	Wolfram. Universality and complexity in cellular automata. <i>Physica</i> 1984;10D(1&2):1-35
T	F18	Xu et al. A bioluminescence resonance energy transfer (BRET) system application to interacting circadian clock proteins. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 1999 Jan 5;96(1):151-6,
	F19	Zhang et al. Selection and application of peptide-binding peptides. <i>Nat. Biotechnol.</i> 2000 Jan;18(1):71-4
JD	F20	Zhu et al. Tyrosine 106 of CheY plays an important role in chemotaxis signal transduction in Escherichia coli. J. Bacteriol. 1996 Jul;178(14):4208-15
Exam	ⁱⁿ €Jer	nifer Dunston/ (08/29/2006) Date Considered
EXA	MINER:	Initial if reference considered, whether or not citation is in conformance with MPEP 60% Draw line through

Initial if reference considered, whether or not citation is in conformance with MPEP 60% Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.